

DIRECTIONS

Dosages will depend on the characteristics of the make-up water, the permissible cycles of concentration, and a cooling towers rated tonnage versus its operational tonnage.

This product should be fed at a rate of 200 to 400 ppm (25 to 50 ounces per 1000 gallons of cooling water capacity).

It should be fed to maintain a residual molybdate test level of between 1.2 and 2.4 ppm molybdate.

It is recommended that this product should be fed on a continuous basis using a suitable treatment pump and control unit. It may be fed directly from the drum or diluted to a convenient concentration with water. It should be fed to a point in the system where it will be thoroughly mixed and evenly distributed. It should be used in conjunction with an alternating algaecide and biocide treatment program.

DESCRIPTION

This scale and corrosion inhibitor is specifically formulated for open recirculating cooling water systems in areas of high hardness, high alkalinity scaling waters. It contains a strong calcium carbonate crystal modifier, which prevents calcium carbonate deposition, along with a yellow metal protectant. Contains a polymer designed to inhibit scale and deposition in a wide variety of aqueous systems.

TOWER TREAT "H"

SCALE AND CORROSION INHIBITOR FOR COOLING TOWERS USING HARD WATER

WARNING:

Harmful if swallowed. May cause severe burns. See back panel for further precautions and first aid instructions.

KEEP OUT OF REACH OF CHILDREN

SOLD BY:

WARNING:
Harmful if swallowed. May cause severe burns. Do not take internally. Avoid contact with skin, eyes and mucous membranes.

FIRST AID:
If Swallowed: Give person several glasses of water. DO NOT induce vomiting. Obtain immediate medical assistance.

If In Eyes: Flush with plenty of cool water for at least 15 minutes. Obtain immediate medical assistance.

If On Skin: Wash thoroughly with soap and water. If irritation persists, obtain medical assistance.

KEEP OUT OF REACH OF CHILDREN

This Product Contains	CAS Number
Water7732-18-5
Sodium Hydroxide1310-73-2
Acrylamide Copolymer	No CAS Number

193392137

NET CONTENTS:

5 6 20 30 35 55
GALLONS