

Use this product in: Bathrooms, Kitchens, Dental Offices, Hospitals, Medical Offices, Nursing Homes, Day Care Centers, Nurseries, Bars, Cafeterias, Institutional Kitchens, USDA Inspected Food Processing Facilities, Colleges, Correctional Facilities, Dressing Rooms, Exercise Facilities, Factories, Health Clubs, Hotels, Laundry Rooms, Locker Rooms, Motels, Prisons, Public Rest Rooms, Salons, Schools, Shower and Bath Areas, Airplanes, Airports, Ambulances, Buses, Emergency Vehicles, Ships, Taxis, Trailers and Trains.

Use this product on washable hard, nonporous surfaces of: Bathroom Fixtures, Cabinets, Cages, Chairs, Computer Keyboards, Countertops, Cupboards, Desks, Diaper Changing Tables, Diaper Pails, Doorknobs, Equipment Tables, Faucets, Floors, Garbage Cans, Glass, Highchairs, Lab Benches, Light Switches, Refrigerator Exteriors, Refrigerated Storage and Display Equipment, Showers, Sinks, Stoves, Tables, Telephones, Exterior Toilet Bowl Surfaces, Toys³, Tubs, Tiles, Walls and Tanning Beds. Non-critical medical device surfaces: Beds, Bed Frames, Bed Rails, Crutches, Defibrillators, and Gurneys. Non-critical hospital and medical equipment surfaces, Examining Tables, Resuscitators, Scales, Stretches, Stethoscopes, Walkers, Wheelchairs, Ultra-sound Transducers and Equipment. Other hard, nonporous surfaces made of: Acrylic, Finished Woodwork, Glass, Glazed Ceramic, Glazed Porcelain, Metal, Plastic, Sealed Granite, Sealed Marble, Stainless Steel, and Upholstery (vinyl and plastic).

³Rinse toys with clean, potable water after disinfecting.

Note: Not recommended for unpainted wood, natural marble or brass.

Use this product to clean and disinfect nonporous personal protection equipment, protective headgear, hard hats, half mask respirators, full face breathing apparatus, gas masks, goggles, spectacles, face shields, silicone rubber or PVC hearing protectors and vinyl covered earmuffs. Rinse all equipment that comes in contact with skin before reuse with clean warm water and allow to air dry.

This product kills: **Bacteria:** Pseudomonas aeruginosa (Pseudomonas), Salmonella enterica (Salmonella), Staphylococcus aureus (Staph), Acinetobacter baumannii, Brevibacterium ammoniagenes (Brevibacterium),

Campylobacter jejuni (Campylobacter), Community Associated Methicillin - Resistant Staphylococcus aureus - (CA-MRSA), Enterobacter aerogenes, Enterococcus faecalis (Enterococcus), Enterococcus faecalis - Vancomycin Resistant (VRE), Escherichia coli (E. coli), Escherichia coli O157:H7, ESBL Escherichia coli - (Extended spectrum beta-lactamase producing E. coli), Klebsiella pneumoniae (Klebsiella), Legionella pneumophila, Listeria monocytogenes, Pseudomonas cepacia (Pseudomonas), Salmonella schottmulleri (Salmonella), Salmonella typhi (Salmonella), Serratia marcescens (Serratia), Shigella dysenteriae (Shigella), Staphylococcus aureus - Methicillin-Resistant (MRSA), Staphylococcus aureus - Multi-Drug Resistant (resistant to tetracycline [Tc], penicillin [Pc], streptomycin [Sm] and erythromycin [Em] and susceptible to chloramphenicol [Cm] in vitro), Staphylococcus aureus-Vancomycin Intermediate Resistant - (VISA), Streptococcus pyogenes (Strep), Vibrio cholera.

Viruses: *Herpes Simplex Virus Type 1, *Herpes Simplex Virus Type 2, *Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV), *HIV-1 (AIDS Virus), *Human Coronavirus, *Influenza Type A Virus / Brazil Influenza, *Influenza A Virus H1N1, *Norwalk Virus (Norovirus), *Respiratory Syncytial Virus (RSV), *Rotavirus, *SARS Associated Coronavirus (SARS) (cause of Severe Acute Respiratory Syndrome), *Vaccinia Virus (Pox Virus).

Animal Viruses: Avian Influenza Virus H3N2, Avian Influenza Virus H5N1, Canine Distemper Virus, Newcastle's Disease Virus, and Pseudorabies Virus.

This product also kills mold & mildew.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use as a diaper wipe or for personal cleansing. This is not a baby wipe! Do not flush in toilet. For plastic and painted surfaces, spot test on an inconspicuous area before use. This product will not harm most surfaces, including acrylic, sealed fiberglass and vinyl.

Directions For Use continues on side panel.

TOTAL SOLUTIONS®

SPEC4 DISINFECTANT WIPES

Kills 99.9% of Bacteria in Just 15 Seconds

- Eliminates Bacteria in Just 4 Minutes • Deodorizes
- Fast Drying; Leaves No Dull or Sticky Residue
- Lemon Fragrance • Bleach Free • Kills Pandemic 2009 H1N1 Influenza A Virus (formerly called swine flu)

Active Ingredients:

Octyl decyl dimethyl ammonium chloride	0.0909%
Dioctyl dimethyl ammonium chloride	0.0364%
Didecyl dimethyl ammonium chloride	0.0545%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	0.1212%

Other Ingredients:..... 99.6970%
Total..... 100.0000%¹

¹ Includes weight of absorbent wipe.

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for Precautionary Statements and First Aid.

EPA Reg. No. 6836-340-68562 EPA Est. No. 10088-WI-2

Net Contents: 1 lb. 13 ozs.
180 Wipes 6" x 7" (15.24cm x 17.78cm)

Distributed By: Total Solutions®
 PO Box 240014 • Milwaukee, WI 53224

TO CLEAN AND DISINFECT/ VIRUCIDAL*/MOLD AND MILDEW CONTROL DIRECTIONS: Wipe hard, nonporous surface with wipe until surface is visibly wet. Allow surface to remain wet for 4 minutes. **For Norwalk Virus, Norovirus, and Rotavirus,** treated surfaces must remain wet for 10 minutes. Let surface air dry. If surfaces are extremely dirty, clean first with another wipe before disinfecting. Discard used wipe in trash. Do not flush.

Rinse food contact surfaces with clean, potable water after disinfecting. Do not use to disinfect dishes, glassware or utensils.

For mold and mildew, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears.

***KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.

Personal protection: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning procedure: Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product. This product can be used for this purpose.

Contact time: Leave surface wet for 1 minute for HIV-1. Use a 4-minute contact time for disinfection against all other viruses and bacteria claimed.

Disposal of infectious material: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

This product is for use on hard nonporous surfaces not conducive to treatment by immersion or excess liquid against Avian Influenza A.

SANITIZING, DEODORIZING: To sanitize, deodorize hard nonporous, non-food contact surfaces; wipe surface, using enough wipes to allow treated surface to remain wet for 15 seconds for Staphylococcus aureus (Staph) (ATCC 6538), Klebsiella pneumoniae (ATCC 4352), and Campylobacter jejuni (ATCC 29428). Let surface dry. For highly soiled surfaces, clean excess dirt first.

To Open Package:

Remove cover. Pull up wipe corner from center of roll. Thread through hole in the cover. Replace cover. Open center cap on cover to remove wipe. When not in use, close center cap to prevent moisture loss.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Caution: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children. Keep securely closed. Nonrefillable container. Do not reuse or refill this container. Discard empty container in trash or recycle if available.

1567•101712