Safety Data Sheet



## **SECTION 1: Product and company identification**

Product name : Steam and Pressure Wash Concentrate

Use of the substance/mixture : Cleaner Product code . 0405

**Total Solutions** Company P.O. Box 240014

Milwaukee, WI 53224 - USA

T (414) 354-6417

: Chemtrec: (800) 424-9300 **Emergency number** 

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### **GHS-US** classification

Met. Corr. 1 H290 Skin Corr. 1C H314

#### 2.2. Label elements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)



GHS05

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : May be corrosive to metals

Causes severe skin burns and eye damage

Precautionary statements (GHS-US) : Keep only in original container.

Do not breathe mist, spray. Wash thoroughly after handling

Wear eye protection, protective clothing, protective gloves. If swallowed: rinse mouth. Do NOT induce vomiting

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower

If inhaled: Remove person to fresh air and keep comfortable for breathing

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

Immediately call a doctor, a POISON CENTER

Specific treatment (see First aid measures on this label)

Wash contaminated clothing before reuse. Absorb spillage to prevent material-damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container to comply with local/regional/national/international regulations.

#### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

Full text of H-phrases: see section 16

#### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Sodium Tripolyphosphate Anhydrous	(CAS-No.) 7758-29-4	< 100	Not classified
disodium metasilicate	(CAS-No.) 6834-92-0	3-7	Skin Corr. 1B, H314 STOT SE 3, H335
potassium hydroxide	(CAS-No.) 1310-58-3	1-5	Met. Corr. 1, H290 Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314
SODIUM LAURETH SULFATE	(CAS-No.) 9004-82-4	1-5	Skin Irrit. 2, H315 Eye Dam. 1, H318

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Date of issue: 3/23/2018 Revision date: 03/23/2018 Version: 1.1 P GHS SDS Page 1 of 6

# Safety Data Sheet



## **SECTION 4: First aid measures**

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with

water/shower. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Caustic burns/corrosion of the skin.

Symptoms/effects after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.

Symptoms/effects after ingestion : May be harmful if swallowed. Burns to the gastric/intestinal mucosa. Gastrointestinal complaints.

Cramps. Nausea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed.

5.2. Special hazards arising from the substance or mixture

Reactivity : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed

containers. Take account of environmentally hazardous firefighting water.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles. Gloves. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain released product, pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

#### 6.4. Reference to other sections

No additional information available

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read

and understood. Use personal protective equipment as required. Do not eat, drink or smoke

when using this product. Do not get in eyes, on skin, or on clothing.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container closed when not in use.

Incompatible products : Acids

Storage area : Meet the legal requirements. Store in a dry area. Store in a cool area.

Date of issue: 3/23/2018 Revision date: 03/23/2018 Version: 1.1 P GHS SDS Page 2 of 6

# Safety Data Sheet



Special rules on packaging : meet the legal requirements. Keep only in original container.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

**SODIUM LAURETH SULFATE (9004-82-4)** 

Not applicable

disodium metasilicate (6834-92-0)

Not applicable

Sodium Tripolyphosphate Anhydrous (7758-29-4)

Not applicable

potassium hydroxide (1310-58-3)

ACGIH	ACGIH Ceiling (mg/m³)	2 mg/m³
ACGIH	Remark (ACGIH)	URT, eye, & skin irr

### 8.2. Exposure controls

Personal protective equipment

: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Safety glasses. Protective clothing.







### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear, colorless liquid.

Odor : slight detergent odor

Odor threshold : No data available

pH : 12 - 14

: No data available Melting point Freezing point : No data available No data available Boiling point : > 200 °F Closed Cup Flash point Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available **Explosion limits** : No data available No data available Explosive properties Oxidizing properties : No data available Vapor pressure : No data available : No data available Relative density Relative vapor density at 20 °C : No data available Specific gravity / density 1.11 a/ml

Solubility Soluble in water. Log Pow : No data available Log Kow : No data available Auto-ignition temperature : No data available : No data available Decomposition temperature : No data available Viscosity : No data available Viscosity, kinematic Viscosity, dynamic : No data available VOC content : < 0.5 %

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Upon combustion: CO and CO2 are formed.

 Date of issue: 3/23/2018
 Revision date: 03/23/2018
 Version: 1.1
 P GHS SDS
 Page 3 of 6

# Safety Data Sheet



### 10.2. Chemical stability

No additional information available

### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

Serious eye damage/irritation

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

potassium hydroxide (1310-58-3)	
LD50 oral rat	273 mg/kg (Rat)
ATE CLP (oral)	273 mg/kg body weight

Skin corrosion/irritation : Causes severe skin burns and eye damage.

> pH: 12 - 14 Not classified pH: 12 - 14

Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified Specific target organ toxicity - single exposure : Not classified Specific target organ toxicity - repeated Not classified exposure

Aspiration hazard : Not classified Symptoms/effects after inhalation : May cause respiratory irritation. Symptoms/effects after skin contact : Caustic burns/corrosion of the skin.

Symptoms/effects after eye contact Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage. Symptoms/effects after ingestion May be harmful if swallowed. Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Cramps. Nausea.

: Skin and eye contact

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Likely routes of exposure

potassium hydroxide (1310-58-3)	
LC50 fish 1	80 mg/l (96 h, Gambusia affinis)

### 12.2. Persistence and degradability

potassium hydroxide (1310-58-3)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

## 12.3. Bioaccumulative potential

potassium hydroxide (1310-58-3)		
	Bioaccumulative potential	Not bioaccumulative.

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

: Dispose in a safe manner in accordance with local/national regulations. Product/Packaging disposal recommendations

Date of issue: 3/23/2018 P GHS SDS Revision date: 03/23/2018 Version: 1.1 Page 4 of 6

# Safety Data Sheet



## **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

Transport document description : NA1760 Compounds, cleaning liquid (Potassium Hydroxide), 8, III

UN-No.(DOT) : NA176

Proper Shipping Name (DOT) : Compounds, cleaning liquid

Class (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136

: 5 L

Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : III - Minor Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 241

DOT Symbols : D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring

a technical name

DOT Special Provisions (49 CFR 172.102) : IB3,N37,T7,TP1,TP28

DOT Packaging Exceptions (49 CFR : 154

173.xxx)

DOT Quantity Limitations Passenger

aircraft/rail (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft : 60 L

only (49 CFR 175.75)

DOT Vessel Stowage Location : A

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

Additional information

Other information : When transported by ground, this product may be eligible to be shipped as a Limited Quantity or

Consumer Commodity ORM-D utilizing the exception found at 49 CFR 173.154. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and

labeling may be required.

ADR

No additional information available

### Transport by sea

No additional information available

#### Air transport

No additional information available

# **SECTION 15: Regulatory information**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Sodium Tripolyphosphate Anhydrous (7758-29-4)		
Not subject to reporting requirements of the United States SARA Section 313		
CERCLA RQ	5000 lb	

potassium hydroxide (1310-58-3)		
Not subject to reporting requirements of the United States SARA Section 313		
CERCLA RQ	1000 lb	



This product can expose you to ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Date of issue: 3/23/2018 Revision date: 03/23/2018 Version: 1.1 P GHS SDS Page 5 of 6

# Safety Data Sheet



## **SECTION 16: Other information**

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

### Full text of H-phrases:

H290	May be corrosive to metals
H301	Toxic if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation


NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual

injury.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible

materials such as concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



### Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

 Date of issue: 3/23/2018
 Revision date: 03/23/2018
 Version: 1.1
 P GHS SDS
 Page 6 of 6