Safety Data Sheet



SECTION 1: Product and company identification

Product name : Truck Wash
Use of the substance/mixture : Cleaner
Product code : 0430

Company : Total Solutions P.O. Box 240014

Milwaukee, WI 53224 - USA

T (414) 354-6417

Emergency number : Chemtrec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Met. Corr. 1 H290 Skin Corr. 1C H314

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



GHS05

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : May be corrosive to metals

Causes severe skin burns and eye damage

Precautionary statements (GHS-US) : Keep only in original container.

Do not breathe mist, spray. Wash thoroughly after handling

Wear eye protection, protective clothing, protective gloves. If swallowed: rinse mouth. Do NOT induce vomiting

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

If inhaled: Remove person to fresh air and keep comfortable for breathing

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing

Immediately call a doctor, a POISON CENTER

Specific treatment (see First aid measures on this label)

Wash contaminated clothing before reuse. Absorb spillage to prevent material-damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container to comply with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

Full text of H-phrases: see section 16

3.2. Mixtures

| Name | Product identifier | % | GHS-US classification |
|---|----------------------|-----|--|
| Sodium Tripolyphosphate | (CAS-No.) 7758-29-4 | 1-5 | Not classified |
| potassium hydroxide | (CAS-No.) 1310-58-3 | 1-5 | Met. Corr. 1, H290 Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314 |
| trisodium orthophosphate, dodecahydrate | (CAS-No.) 10101-89-0 | 1-5 | Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 |
| disodium metasilicate | (CAS-No.) 6834-92-0 | 1-5 | Skin Corr. 1B, H314 STOT SE 3, H335 |
| Ethoxylated Alcohols Phosphate Ester | (CAS-No.) 68130-47-2 | 1-5 | Skin Corr. 1C, H314 |

Date of issue: 12/18/2019 Revision date: 11/14/2019 Version: 2.2 P GHS SDS Page 1 of 7

Safety Data Sheet



| Name | Product identifier | % | GHS-US classification |
|---------------------------|----------------------|-----|---|
| Linear Alcohol Ethoxylate | (CAS-No.) 34398-01-1 | 1-5 | Acute Tox. 4 (Oral), H302 Eve Dam. 1, H318 |

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with

water/shower. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Caustic burns/corrosion of the skin.

Symptoms/effects after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.

Symptoms/effects after ingestion : May be harmful if swallowed. Burns to the gastric/intestinal mucosa. Gastrointestinal complaints.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Adapt extinguishing media to the environment.

5.2. Special hazards arising from the substance or mixture

Reactivity : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed

containers. Take account of environmentally hazardous firefighting water.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles. Gloves. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

6.3. Methods and material for containment and cleaning up

For containment : Contain released product, pump into suitable containers

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : May be corrosive to metals.

Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read

and understood. Use personal protective equipment as required. Do not eat, drink or smoke

when using this product. Do not get in eyes, on skin, or on clothing.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

 Date of issue: 12/18/2019
 Revision date: 11/14/2019
 Version: 2.2
 P GHS SDS
 Page 2 of 7

Safety Data Sheet



7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Always add the product to the water for dilution/mixture. Never

add water to this product.

Storage conditions : Keep container closed when not in use.

Incompatible products : Acids.

Information on mixed storage : KEEP SUBSTANCE AWAY FROM: (strong) acids.

Storage area : Meet the legal requirements. Store in a dry area. Store in a cool area.

Special rules on packaging : meet the legal requirements. Keep only in original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| potassium hydroxide (1310-58-3) | | |
|---------------------------------|-----------------------|----------------------|
| ACGIH | ACGIH Ceiling (mg/m³) | 2 mg/m³ |
| ACGIH | Remark (ACGIH) | URT, eye, & skin irr |

Ethoxylated Alcohols Phosphate Ester (68130-47-2)

Not applicable

disodium metasilicate (6834-92-0)

Not applicable

Sodium Tripolyphosphate Anhydrous (7758-29-4)

Not applicable

trisodium orthophosphate, dodecahydrate (10101-89-0)

Not applicable

Linear Alcohol Ethoxylate (34398-01-1)

Not applicable

8.2. Exposure controls

Personal protective equipment

Use appropriate personal protective equipment when risk assessment indicates this is necessary.
 Gloves. Safety glasses. Protective clothing.







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : clear. Gold. Liquid.

Odor : mild

Odor threshold : No data available

pH : 12 - 14

Melting point No data available Freezing point : No data available Boiling point : No data available : > 200 °F Closed Cup Flash point Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) No data available **Explosion limits** : No data available Explosive properties : No data available Oxidizing properties : No data available : No data available Vapor pressure Relative density No data available Relative vapor density at 20 °C : No data available Specific gravity / density : 1.11 g/ml Solubility : Soluble in water.

Date of issue: 12/18/2019 Revision date: 11/14/2019 Version: 2.2 P GHS SDS Page 3 of 7

Safety Data Sheet



Log Pow No data available Log Kow : No data available Auto-ignition temperature No data available Decomposition temperature : No data available Viscosity : No data available Viscosity, kinematic No data available : No data available Viscosity, dynamic

VOC content : < 0.5 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Acids. May be corrosive to metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| potassium hydroxide (1310-58-3) | | |
|--|--|--|
| LD50 oral rat | 273 mg/kg (Rat) | |
| ATE CLP (oral) | 273 mg/kg body weight | |
| trisodium orthophosphate, dodecahydrate (10101-89-0) | | |
| LD50 oral rat | > 2000 mg/kg body weight (OECD 420: Acute Oral toxicity – Acute Toxic Class Method, Rat, Female, Experimental value) | |
| LD50 dermal rat | > 2000 mg/kg (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Read-across) | |
| LC50 inhalation rat (mg/l) | > 0.83 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male/female, Read-across) | |
| Linear Alcohol Ethoxylate (34398-01-1) | | |
| LD50 oral rat | > 1400 mg/kg | |

: Causes severe skin burns and eye damage. Skin corrosion/irritation

pH: 12 - 14

Serious eye damage/irritation Not classified

pH: 12 - 14

Respiratory or skin sensitization Not classified Not classified Germ cell mutagenicity Carcinogenicity Not classified Reproductive toxicity Not classified Specific target organ toxicity - single exposure : Not classified Specific target organ toxicity - repeated

exposure

Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : May cause respiratory irritation. Symptoms/effects after skin contact Caustic burns/corrosion of the skin.

Symptoms/effects after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage. Symptoms/effects after ingestion May be harmful if swallowed. Burns to the gastric/intestinal mucosa. Gastrointestinal

complaints.

: Skin and eye contact Likely routes of exposure

SECTION 12: Ecological information

12.1. Toxicity

Date of issue: 12/18/2019 Revision date: 11/14/2019 P GHS SDS Page 4 of 7 Version: 2.2

Safety Data Sheet



| potassium hydroxide (1310-58-3) | | |
|--|--|--|
| LC50 fish 1 | 80 mg/l (96 h, Gambusia affinis) | |
| trisodium orthophosphate, dodecahydrate (10101 | -89-0) | |
| LC50 fish 1 | > 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Read-across) | |
| EC50 Daphnia 1 | > 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value) | |
| ErC50 (algae) | > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value) | |
| Linear Alcohol Ethoxylate (34398-01-1) | | |
| LC50 fish 1 | < 10 mg/l | |
| EC50 Daphnia 1 | < 10 mg/l | |
| ErC50 (algae) | < 10 mg/l | |

12.2. Persistence and degradability

| 12.2. Tersistine and degradability | | |
|--|---|--|
| potassium hydroxide (1310-58-3) | | |
| Persistence and degradability | Biodegradability: not applicable. | |
| Biochemical oxygen demand (BOD) | Not applicable | |
| Chemical oxygen demand (COD) | Not applicable | |
| ThOD | Not applicable | |
| BOD (% of ThOD) | Not applicable | |
| trisodium orthophosphate, dodecahydrate (10101-89-0) | | |
| Persistence and degradability | Biodegradability in soil: not applicable. Biodegradability: not applicable. | |
| Biochemical oxygen demand (BOD) | Not applicable (inorganic) | |
| Chemical oxygen demand (COD) | Not applicable (inorganic) | |
| ThOD | Not applicable (inorganic) | |

12.3. Bioaccumulative potential

| potassium hydroxide (1310-58-3) | | |
|--|----------------------|--|
| Bioaccumulative potential Not bioaccumulative. | | |
| trisodium orthophosphate, dodecahydrate (10101-89-0) | | |
| Bioaccumulative potential | Not bioaccumulative. | |

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal : Dispose in a safe manner in accordance with local/national regulations. recommendations

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description : UN1760 Corrosive liquids, n.o.s. (Potassium Hydroxide, Trisodium Orthophosphate

Dodecahydrate), 8, III

UN-No.(DOT) : UN1760

Proper Shipping Name (DOT) : Corrosive liquids, n.o.s.

Class (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136

Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : III - Minor Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 241

DOT Symbols : G - Identifies PSN requiring a technical name

 Date of issue: 12/18/2019
 Revision date: 11/14/2019
 Version: 2.2
 P GHS SDS
 Page 5 of 7

Safety Data Sheet

DOT Special Provisions (49 CFR 172.102) : IB3,T7,TP1,TP28

DOT Packaging Exceptions (49 CFR

173.xxx)

: 154

DOT Quantity Limitations Passenger

aircraft/rail (49 CFR 173.27)

: 5 L

DOT Quantity Limitations Cargo aircraft

only (49 CFR 175.75)

: 60 L

DOT Vessel Stowage Location

: A **DOT Vessel Stowage Other**

Additional information

: 40 - Stow "clear of living quarters"

Emergency Response Guide (ERG)

Number

: 154

Other information

: When transported by ground, this product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D utilizing the exception found at 49 CFR 173.154. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and

labeling may be required.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

| potassium hydroxide (1310-58-3) | | |
|---|---------|--|
| Not subject to reporting requirements of the United States SARA Section 313 | | |
| | | |
| CERCLA RQ | 1000 lb | |

| Sodium Tripolyphosphate (7758-29-4) | | |
|---|---------|--|
| Not subject to reporting requirements of the United States SARA Section 313 | | |
| | | |
| CERCLA RQ | 5000 lb | |

| trisodium orthophosphate, dodecahydrate (10101-89-0) | | |
|---|---------|--|
| Not subject to reporting requirements of the United States SARA Section 313 | | |
| | | |
| CERCLA RQ | 5000 lb | |

| Linear Alcohol Ethoxylate (34398-01-1) | |
|--|---------------------------------|
| | |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard |

📤 WARNING

This product can expose you to ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

| 90 | May be corrosive to metals |
|----|----------------------------|
|----|----------------------------|

Date of issue: 12/18/2019 Revision date: 11/14/2019 P GHS SDS Page 6 of 7 Version: 2.2

Safety Data Sheet



| H301 | Toxic if swallowed |
|------|---|
| H302 | Harmful if swallowed |
| H314 | Causes severe skin burns and eye damage |
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| H335 | May cause respiratory irritation |


NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual

injury.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible

materials such as concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Date of issue: 12/18/2019 Revision date: 11/14/2019 Version: 2.2 P GHS SDS Page 7 of 7