## Safety Data Sheet

### **SECTION 1: Product and company identification**

Product name	:	Automatic Powder
Use of the substance/mixture	:	Cleaner
Product code	:	0664
Company	:	Richardson Chemical Products Co. P.O. Box 240014 Milwaukee, WI 53224-9001 - USA T 414-354-6417
Emergency number	:	Chemtrec: 800-424-9300

### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

#### Classification (GHS-US)

Skin Corr. 1C H314

Full text of H-phrases: see section 16

2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	CHS05
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: Causes severe skin burns and eye damage
Precautionary statements (GHS-US)	<ul> <li>Do not breathe dust Wash thoroughly after handling Wear eye protection, protective clothing, protective gloves If swallowed: rinse mouth. Do NOT induce vomiting If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower If inhaled: Remove person to fresh air and keep comfortable for breathing If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a doctor, a POISON CENTER Specific treatment (see First aid measures on this label) Wash contaminated clothing before reuse Store locked up Dispose of contents/container to comply with local/regional/national/international regulations.</li> </ul>

#### 2.3. Other hazards

No additional information available

## 2.4. Unknown acute toxicity (GHS US)

Not applicable

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substance

## Not applicable

Full text of H-phrases: see section 16

## 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
sodium carbonate	(CAS No) 497-19-8	40-70	Eye Irrit. 2A, H319
disodium metasilicate	(CAS No) 6834-92-0	5-10	Skin Corr. 1B, H314 STOT SE 3, H335

Safety Data Sheet

Name	Product identifier	%	Classification (GHS-US)
troclosene sodium, dihydrate	(CAS No) 51580-86-0	1-5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 STOT SE 3, H335

SECTION 4: First aid measures		
4.1. Description of first aid measure		
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.	
First-aid measures after skin contact	: Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.	
4.2. Most important symptoms and	effects, both acute and delayed	
Symptoms/injuries	: Causes severe skin burns and eye damage.	
Symptoms/injuries after inhalation	: May cause respiratory irritation.	
Symptoms/injuries after skin contact	: Caustic burns/corrosion of the skin.	
Symptoms/injuries after eye contact	: Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.	
Symptoms/injuries after ingestion	: Harmful if swallowed. Gastrointestinal complaints. Burns to the gastric/intestinal mucosa.	
<b>4.3.</b> Indication of any immediate me Treat symptomatically.	dical attention and special treatment needed	
SECTION 5: Firefighting meas 5.1. Extinguishing media	ures	
Suitable extinguishing media	: All extinguishing media allowed.	
5.2. Special hazards arising from th	e substance or mixture	
Reactivity	: Powder may produce chlorine gas when wet. Upon combustion: CO and CO2 are formed. If the product is involved in a fire, it can release toxic chlorine gases.	
5.3. Advice for firefighters		
Firefighting instructions	: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	
SECTION 6: Accidental releas	e measures	
6.1. Personal precautions, protectiv	ve equipment and emergency procedures	
General measures	: Isolate from fire, if possible, without unnecessary risk.	
6.1.1. For non-emergency personnel		
Protective equipment	: Protective goggles. Gloves. Protective clothing.	
Emergency procedures	: Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.	
6.1.2. For emergency responders		
Protective equipment	: Equip cleanup crew with proper protection.	
Emergency procedures	: Stop leak if safe to do so. Stop release. Ventilate area.	

6.3. Methods and material for containment and cleaning up		
For containment : Contain released substance, pump into suitable containers.		
Methods for cleaning up	: Absorb spillage to prevent material damage. This material and its container must be disposed of in a safe way, and as per local legislation.	
6.4. Reference to other sections		

No additional information available

Safety Data Sheet

SECTION 7: Handling and storage		
7.1. Precautions for safe handlin	9	
Precautions for safe handling	Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care.	
Hygiene measures	: Wash thoroughly after handling. Wash contaminated clothing before reuse.	
7.2. Conditions for safe storage,	including any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Store in corrosive resistant container with a resistant inner liner. Keep container closed when not in use.	
Incompatible products	: acids. reducing agents.	
Storage area	: Keep only in the original container. Store in a dry area. Store in a cool area.	
Special rules on packaging	: meet the legal requirements. Keep only in original container.	

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Personal protective equipment

: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Safety glasses. Gloves. Protective clothing.



## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties				
Physical state	: Solid			
Appearance	: Fine white powder.			
Odor	: chlorine-like			
Odor threshold	: No data available			
рН	: No data available			
Melting point	: No data available			
Freezing point	: No data available			
Boiling point	: No data available			
Flash point	: No data available			
Relative evaporation rate (butyl acetate=1)	: No data available			
Flammability (solid, gas)	: No data available			
Explosion limits	: No data available			
Explosive properties	: No data available			
Oxidizing properties	: No data available			
Vapor pressure	: No data available			
Relative density	: No data available			
Relative vapor density at 20 °C	: No data available			
Solubility	: Soluble in water.			
Log Pow	: No data available			
Log Kow	: No data available			
Auto-ignition temperature	: No data available			
Decomposition temperature	: No data available			
Viscosity	: No data available			
Viscosity, kinematic	: No data available			
Viscosity, dynamic	: No data available			

## Safety Data Sheet

VOC content

: 0 %

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Acute toxicity

Powder may produce chlorine gas when wet. Upon combustion: CO and CO2 are formed. If the product is involved in a fire, it can release toxic chlorine gases.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity. 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

: Not classified

troclosene sodium, dihydrate (51580-86-0)		
LD50 oral rat	735 mg/kg (Rat; Literature study; 1436 mg/kg bodyweight; Rat)	
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)	
sodium carbonate (497-19-8)		
LD50 oral rat	2800 mg/kg (Rat; Experimental value)	
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Experimental value)	
ATE CLP (oral)	2800.000 mg/kg body weight	
Skin corrosion/irritation	: Causes severe skin burns and eye damage.	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
Symptoms/injuries after inhalation	: May cause respiratory irritation.	
Symptoms/injuries after skin contact	: Caustic burns/corrosion of the skin.	
Symptoms/injuries after eye contact	: Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.	
Symptoms/injuries after ingestion	: Harmful if swallowed. Gastrointestinal complaints. Burns to the gastric/intestinal mucosa.	

#### **SECTION 12: Ecological information**

troclosene sodium, dihydrate	(51580-86-0)			
LC50 fish 1	0.12 mg/l (96	h; Salmo gairdneri (Oncorhynchus	s mykiss); Anhydrous form)	
EC50 Daphnia 1	0.28 mg/l (48	h; Daphnia magna; Anhydrous for	m)	
LC50 fish 2	< 1 mg/l 48 h	< 1 mg/l 48 h; Salmo gairdneri (Oncorhynchus mykiss)		
sodium carbonate (497-19-8)				
LC50 fish 1	300 mg/l (96	h; Lepomis macrochirus)		
Date of issue: 1/6/2016	Revision date: 04/09/2015	Version: 1.0	P GHS SDS	Page 4 of

## Safety Data Sheet

baloty Bata Oneot		
sodium carbonate (497-19-8)		
EC50 Daphnia 1	< 424 mg/l (48 h; Daphnia magna)	
EC50 other aquatic organisms 1	14 mg/l (168 h; Plankton)	
LC50 fish 2	740 mg/l (96 h; Gambusia affinis)	
EC50 Daphnia 2	265 mg/l (48 h; Daphnia magna)	
TLM fish 1	300 ppm (96 h; Lepomis macrochirus)	
TLM other aquatic organisms 1	500 ppm (96 h; Daphnia magna)	
Threshold limit algae 1	242 mg/l (5 days; Algae)	
12.2. Persistence and degradability		
troclosene sodium, dihydrate (51580-86-0)		
Persistence and degradability Not readily biodegradable in water.		
Chemical oxygen demand (COD)	0.01 g O⊡/g substance	
sodium carbonate (497-19-8)		
Persistence and degradability	Biodegradability: not applicable. Low potential for adsorption in soil.	
ThOD	Not applicable (inorganic)	
12.3. Bioaccumulative potential		
troclosene sodium, dihydrate (51580-86-0)		
Bioaccumulative potential	No bioaccumulation data available.	
sodium carbonate (497-19-8)		

sodium carbonate (497-19-8)		
Log Pow	-6.19 (Estimated value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.

## **SECTION 14: Transport information**

#### Department of Transportation (DOT)

Transport document description UN-No.(DOT)		UN3262 Corrosive solid, basic, inorganic, n.o.s., 8, III UN3262
Proper Shipping Name (DOT)	:	Corrosive solid, basic, inorganic, n.o.s.
Transport hazard class(es) (DOT)	:	8 - Class 8 - Corrosive material 49 CFR 173.136
Hazard labels (DOT)	:	8 - Corrosive
Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx)		III - Minor Danger 213

DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	: IB8,IP3,T1,TP33
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 25 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 100 kg
DOT Vessel Stowage Location	: A
DOT Vessel Stowage Other	: 52 - Stow "separated from" acids
Additional information	
Other information	: No supplementary information available.

## Safety Data Sheet

ADR			
No additional information available			
Transport by sea			
No additional information available			
Air transport			
No additional information available			

## SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

SECTION 16: Other information
-------------------------------

Training advice


: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Corr. 1C	Skin corrosion/irritation Category 1C
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

- NFPA fire hazard : 0 Materials that will not burn.
- NFPA reactivity : 0 Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.