

# STEAM TREAT

Product # 1928

*Protects condensate lines and tanks against corrosion*

This liquid was formulated to provide corrosion protection in steam boiler condensate systems and other associated power equipment. Regular usage provides a pH adjustment to the untreated steam condensate and prevents the formation of harmful acids, a major cause of steam pipe repair and replacement. It also provides protection to return lines and reduces the iron and copper content of the condensate.

## Features and Benefits

- Provides excellent protection of return line in high- and low-pressure systems.
- Prevents the formation of harmful acids, a major cause of steam pipe repair and replacement.
- Gradually descales condensate lines as it protects against corrosion.

## Properties

Appearance.....	Colorless liquid
Fragrance.....	Amine odor
Concentrate.....	Yes
Specific gravity.....	0.99
Flash point.....	154° F
pH .....	11.25-12.25

## Directions Complete directions on product label

Recommended for use with a continuous feed system to maintain a sulfite level between 20-40 ppm.

## Authorizations

USDA G6: Compounds for treating boilers and steam lines where steam may contact edible products, cooling systems where treated water may not contact edible products.

## Active Ingredients

	CAS Number
Water .....	7732-18-5
Cyclohexylamine .....	108-91-8
Diethylethanolamine .....	100-37-8
Polyalkylene glycol .....	9038-95-3

## Safety


Caution: May be harmful if swallowed. Keep out of the reach of children.

## DOT Shipping (ground transportation)

Proper Shipping Name:	Corrosive Liquid, basic, organic, N.O.S. (2-diethylaminoethanol, cyclohexylamin
Class:	8
ID Number:	UN3267
Package Group:	III

## NFPA RATINGS

Flammability



## Quantities

- 55 gallon
- 35, 30 & 20 gallon
- 5 or 6 gallon
- 6 X 1 gallon
- 4 X 1 gallon

