

## Soft water steam boiler treatment

This liquid steam boiler additive is a phosphate-based cycle treatment fortified with a proven polymeric scale inhibitor. It was designed for use in soft-water environments and can be used on a "one-shot" basis or with an automated continuous feed system. It is safe to use with other boiler treatment chemicals, especially steam line treatments and oxygen scavengers.

### Effective Against:

- Scaling
- Lime & Mineral Deposits
- Corrosion
- Rust

### Features and Benefits

- Prevents and controls lime, scale, rust and mineral deposits.
- Excellent dispersant of suspended solids for more thorough blow down.
- Restores heat transfer efficiency.

### Properties

Appearance.....	Brown Liquid
Fragrance.....	Mild
Concentrate.....	Yes
Specific gravity.....	1.07
Flash point.....	None
pH.....	13.0-14.0

### Directions Complete directions on product label

Can be used as a "one-shot" application, or with an automated continuous feed system. Feed ½ gallon for each 25 horsepower of boiler capacity, weekly.

### Authorizations:

USDA G6: Compounds for treating boilers and steam lines where steam may contact edible products, cooling systems where treated water may no contact edible products.

### Active Ingredients

Active Ingredients	Amount Used
Water .....	7732-18-5
Tetrapotassium Pyrophosphate .....	7320-34-5
Polyacrylate Scale Inhibitor .....	Proprietary
Potassium Hydroxide .....	1310-58-3
Sodium Lignosulfonate .....	68131-31-7

### Safety


Warning: Harmful if swallowed. May cause severe burns. Keep out of the reach of children.

### DOT Shipping (ground transportation)

Proper Shipping Name:	Corrosive liquid N.O.S. (Potassium Hydroxide)
Class:	8
ID Number:	UN1760
Package Group:	III

### NFPA RATINGS

Flammability



### Quantities

- 55 gallon
- 35, 30 & 20 gallon
- 5 or 6 gallon
- 6 X 1 gallon
- 4 X 1 gallon

