Control agent for wastewater treatment plants

This concentrated liquid contains special silicone defoaming agents for fast knockdown of foam due to detergents, surfactants and organic materials in the water. Its water-based formula is non-polluting, and prevents re-foaming and the formation scum blankets – regardless of the water's pH level.

Use In:

- Sewage plants Digesters
- Textile mills
- Aerators
- Mixing tanks
- Anywhere detergents cause a foaming problem

Effective Against

- Foaming
- Sewer backups
- Sanitation cleanup problems

Features and Benefits

- Non-polluting, water-based formula contains special silicone defoaming agents for fast knockdown.
- Reduces the surface tension of sewage water to levels too low to support formation of foam.
- Residual anti-foam ingredients prevent foam from returning.
- Can be dripped into digesters or poured directly into waste streams immediately prior to foam accumulation.

Properties

riupcilics	
Appearance	White Liquid
Fragrance	Mild odor
Concentrate	Yes
Specific gravity	1.01
pH	7.0-8.0
Stability	1 year
Solubility in water	Complete

Directions Complete directions on product label

For best results, drip feed into influent stream prior to foam formation. Normal application rates range from one guart to one gallon/ 10,000 gal wastewater.

Active Ingredients

rioti to ingliculonio	0710 11011100
Water	7732-18-5
Silicon emulsion	Proprietary
Triethanolamine	102-71-6
Antimicrobial	Proprietary
Acrylic Polymer	9003-01-4

Safety

Caution: May irritate eyes. Keep out of the reach of children.

DOT Shipping (ground transportation)

Proper Shipping Name: None Class: None ID Number: None Package Group: None



CAS Number

Ouantities

55 gallon

35, 30 & 20 gallon

5 or 6 gallon

6 X 1 gallon

4 X 1 gallon







